

Fertilizing scheme DEDICATED (A+B)

| All amounts are in ml. per 10 litres of water | Growth period | to Flowering | | | | mid Flowering | | end Flowering | | Last week/ Flush |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|------------------|
| A+B scheme | | | | | | | | | | |
| Nutri Forte A+B or Coco Forte A+B | 10A + 10B | 15A + 15B | 18A + 18B | 20A + 20B | 23A + 23B | 20A + 20B | 20A + 20B | 18A + 18B | < 18A + < 18B | - |
| BN Roots | once 100 ml | - | - | - | once 100 ml | - | - | - | - | - |
| BN X-ceL | 5 | 5 | 8 | 8 | 10 | 10 | 10 | 10 | 10 | 10 |
| The Missing Link | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| BN-Zym | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |

Useful tips for the use of DEDICATED fertilizing scheme

- First add water to the feed vessel, then add SuperMix and stir well.
- In areas of soft water it is recommended to add Ca15 to the SuperMixes.
- If Nutri Forte or Coco Forte are used, first mix A and then add B.
- When using SuperMixes add PK 13-14 and mix well. When using Nutri Forte or Coco Forte it is not necessary to add PK 13-14.
- Leave the mix for one hour and then adjust the pH value to pH 5.8.
- The dosage of the main fertilizer can be adjusted by $\pm 10\%$.
- Do not use fertilizer in the last week before harvest.
- For long flowering plants and when using LongFlower-SuperMix, the schedule should be extended from mid flowering.
- Use BN Roots when planting and repeat after 30 days. In periods of high stress in the plants we recommend using BN Roots every week.
- We recommend to add FreeFlow to all mixes to increase the permeability of liquids due to its natural wetting ability.
- < indicates the dosage may be adjusted at your discretion.